



4 Caxton Place, Stevenage
Herts, SG1 2UF. United Kingdom
Tel: +44 (0) 1438 360747 Fax: +44 (0) 01438 360748
www.catomance.co.uk



FM 1331

AMOA DRISHEEN MOF

DESCRIPTION	Mineral oil free softening compound for sisal.
APPLICATION	To soften sisal wrapping twines.
BENEFITS	Contains an optical bleach. Cold application.
DIRECTIONS FOR USE	Apply at 1 st Goods machine 16% by weight of the following solution: Drisheen MOF 6% Water 94% If only 14% application required, increase Drisheen compound to 7% and reduce water content to 93%.
COMPOSITION	A blend of special oils, softeners, whitening and wetting agents.
APPEARANCE	Beige emulsion.
SPECIFIC GRAVITY	Approx. 1.0 @ 20°C.
pH	9 Approx.
STORAGE	Keep in closed containers above 5°C.
HANDLING	Handle in accordance with good industrial hygiene practice. See Safety Data Sheet for further information.

May 2001.