





Alpine Street, Old Basford Nottingham NG6 0HQ

Registered in London No. 106442

www.catomance.co.uk

Tel: +44 (0)1462 457 186 Fax: +44 (0)1462 423 585

MYSTOLUBE STL NEW

Leather Auxiliary Product Data

Composition An aqueous emulsion of silicone oil.

Description White, free-flowing emulsion readily dispersible in water.

Total Solids Content 22% nominal Ionic Character Nonionic

pH Value Approximately 7

Suggested Uses For use in the finishing of furs and of sheepskins. Mystolube STL NEW will

substantially improve the degree of gloss and the feel of fur and wool fibres.

Application Mystolube STL NEW should be applied by drumming in sawdust. Normally an

application level of 1% Mystolube STL NEW on the weight of furs gives a satisfactory finish although the concentration may need to be increased to up to

2% if the skins were particularly dry.

For application to sheepskins Mystolube STL NEW should be applied as part of

a "dope" to the wool followed by ironing. A typical "dope" formulation is:

Iso-propanol : 5.0 Litres
Acetic Acid : 0.6 Litres
Mystolube STL NEW: 0.2 - 0.5 Litres
Water : 45.0 Litres

The "dope" is prepared by adding the components to the water and stirring until

homogeneous.

Handling Handle according to good industrial hygiene practice.

For further information see product Safety Data Sheet.

This emulsion will deteriorate if frozen.

Appropriate storage conditions should, therefore, be arranged.