

MYSTOX CMP

Page: 1

Compilation date: 13/06/2014

Revision date: 08/05/2015

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MYSTOX CMP

Product code: CAT_CMP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Insecticide for wool fibre

1.3. Details of the supplier of the safety data sheet

Company name: Catomance part of Murphy and Son Ltd

Alpine Street

Nottingham

Nottinghamshire

NG6 0HQ

United Kingdom

Tel: 01462 457186

Email: catomance@murphyandson.co.uk

1.4. Emergency telephone number

Emergency tel: +44 1462 457186

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP:	Xi: R36; Sens.: R43; N: R50/53
Classification under CLP:	Acute Tox. 4: H302+312; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1:
	H318; Skin Sens. 1: H317
Most important adverse effects:	Irritating to eyes. May cause sensitisation by skin contact. Very toxic to aquatic
	organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Label elements under CLP:

Hazard statements: H302+312: Harmful if swallowed or in contact with skin.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

MYSTOX CMP

Page: 2

Signal words:	Danger
Hazard pictograms:	GHS05: Corrosion
	GHS07: Exclamation mark
	GHS09: Environmental
Precautionary statements:	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P273: Avoid release to the environment.
	P501: Dispose of contents/container to hazardous or special waste collection point.
Label elements under CHIP:	
Hazard symbols:	Irritant.
	Dangerous for the environment.
Risk phrases:	R36: Irritating to eyes.
	R43: May cause sensitisation by skin contact.
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
Safety phrases:	S24: Avoid contact with skin.
	S37: Wear suitable gloves.
	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
203-961-6	112-34-5	Xi: R36	Eye Irrit. 2: H319	50-70%

MYSTOX CMP

Page: 3

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

258-067-9	52645-53-1	Xn: R20/22; Sens.: R43; N: R50/53	Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Sens. 1: H317; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	10-30%			
C9-11 ALCOHOL ETHOXYLATE WITH 9MEO							

- Xn: R22; Xi: R41 Acute Tox. 4: H302; Eye Dam. 1: H318 1-10%	
---	--

Section 4: First aid measures

_

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

MYSTOX CMP

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s)

Specific end use(s): Insecticide for wool fibre

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

Workplace exposure limits:

•	•		•	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m3	101.2 mg/m3	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be

impermeable to prevent the escape of liquids.

MYSTOX CMP

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Hand protection: Protective gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Protective clothing. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Liquid Colour: Colourless Odour: Perceptible odour Evaporation rate: No data available. Oxidising: No data available. Solubility in water: No data available. Viscosity: No data available. Boiling point/range°C: 100 Melting point/range°C: No data available. Flammability limits %: lower: Not applicable. upper: Not applicable. Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available. Autoflammability°C: Not applicable. Vapour pressure: No data available.

pH: Not Determined

9.2. Other information

Other information: No data available.

Relative density: No data available.

VOC g/l: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Page: 5

MYSTOX CMP

Page: 6

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	MUS	LD50	424	mg/kg
ORAL	RAT	LD50	383	mg/kg
DERMAL	RAT	LD50	1750	mg/kg

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

DERMAL	RBT	LD50	>2000	mg/kg
ORL	MUS	LD50	6050	mg/kg
ORL	RAT	LD50	>2000	mg/kg

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

ORL	MUS	LD50	424	mg/kg
ORL	RAT	LD50	383	mg/kg
SKN	RAT	LD50	1750	mg/kg

C9-11 ALCOHOL ETHOXYLATE WITH 9MEO

ORAL	RAT	LD50	>200 >2000	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

MYSTOX CMP

Ecotoxicity values:

Species	Test	Value	Units
FISH (Salmo Salar - Alantic Salmon)	96H LC50	0.009	ml/l
FISH (Pimephales Promelas Fathead Minnow	96H LC50	0.016	mg/l
Daphnia magna	48H EC50	0.32	µg/l
MARINE ALGAE (Skeletonema costatum)	48H EC50	0.068	mg/l

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

Daphnia magna	48H EC50	100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	100	mg/l

M-PHENOXYBENZYL 3-(2,2-DICHLOROVINYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

Daphnia magna	48H EC50	0.32	µg/l
FISH (Pimephales Promelas Fathead Minnow	96H LC50	0.016	mg/l
FISH (Salmo Salar - Alantic Salmon)	96H LC50	0.009	mg/l
MARINE ALGAE (Skeletonema costatum)	48H EC50	0.068	mg/l

C9-11 ALCOHOL ETHOXYLATE WITH 9MEO

	FISH	96H LC50	1 - 10	mg/l
--	------	----------	--------	------

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
NB:	The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

MYSTOX CMP

Section 14: Transport information 14.1. UN number UN number: UN3082 14.2. UN proper shipping name Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (M-PHENOXYBENZYL 3 - (2,2-DICHOROVINYL) -2,2-DIMETHYLCYCLOPROPANECARBOXYLATE) 14.3. Transport hazard class(es) Transport class: 9 14.4. Packing group Packing group: III 14.5. Environmental hazards Environmentally hazardous: Yes Marine pollutant: Yes 14.6. Special precautions for user Special precautions: No special precautions. Tunnel code: E Transport category: 3 Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2. Chemical Safety Assessment Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

	100/20101
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H302+312: Harmful if swallowed or in contact with skin.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H400: Very toxic to aquatic life.

MYSTOX CMP

		Page:	9
	H410: Very toxic to aquatic life with long lasting effects.		
	R20/22: Harmful by inhalation and if swallowed.		
	R22: Harmful if swallowed.		
	R36: Irritating to eyes.		
	R41: Risk of serious damage to eyes.		
	R43: May cause sensitisation by skin contact.		
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the		
	aquatic environment.		
Legend to abbreviations:	PNEC = predicted no effect concentration		
	DNEL = derived no effect level		
	LD50 = median lethal dose		
	LC50 = median lethal concentration		
	LDLO = lethal dose low		
	EC50 = median effective concentration		
	IC50 = median inhibitory concentration		
	dw = dry weight		
	bw = body weight		
	cc = closed cup		
	oc = open cup		
	MUS = mouse		
	GPG = guinea pig		
	RBT = rabbit		
	HAM = hamster		
	HMN = human		
	MAM = mammal		
	PGN = pigeon		
	IVN = intravenous		
	SCU = subcutaneous		
	SKN = skin		
	DRM = dermal		
×	OCC = ocular/corneal		
	OPT = optical		
	INH = inhalation		
	PCP = physico-chemical properties		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		