

MYSTOX R

Page: 1

Compilation date: 08/05/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MYSTOX R

Product code: CAT_R

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Catomance part of Murphy and Son Ltd

Alpine Street

Nottingham

Nottinghamshire

NG6 0HQ

United Kingdom

Tel: 01462 457186

Email: catomance@murphyandson.co.uk

1.4. Emergency telephone number

Emergency tel: +44 1462 457186

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture			
Classification under CHIP:	Sens.: R43; Xn: R48/20; -: R52/53		
Classification under CLP:	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Sens. 1: H317;		
	STOT RE 2: H373		
Most important adverse effects:	May cause sensitisation by skin contact. Harmful: danger of serious damage to health		
	by prolonged exposure through inhalation. Harmful to aquatic organisms, may cause		
	long-term adverse effects in the aquatic environment.		

2.2. Label elements

Label elements:			
Hazard statements:	H317: May cause an allergic skin reaction.		
	H319: Causes serious eye irritation.		
	H373: May cause damage to organs through prolonged or repeated exposure.		
	H400: Very toxic to aquatic life.		
	H410: Very toxic to aquatic life with long lasting effects.		
Signal words:	Warning		
Hazard pictograms:	GHS07: Exclamation mark		

MYSTOX R

Page: 2

GHS08: Health hazard

GHS09: Environmental



Precautionary statements:	P260: Do not breathe dust/fumes/gas/mist/vapours/spray.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
	P302+352: IF ON SKIN: Wash with plenty of water/.		
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing.		
	P314: Get medical attention if you feel unwell.		
	P321: Specific treatment (see instructions on this label).		
Label elements under CHIP:			
Hazard symbols:	Harmful.		
	×		
Risk phrases:	R43: May cause sensitisation by skin contact.		
Risk phrases:	R43: May cause sensitisation by skin contact. R48/20: Harmful: danger of serious damage to health by prolonged exposure through		
Risk phrases:			

aquatic environment. Safety phrases: S24: Avoid contact with skin.

S37: Wear suitable gloves.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

3-IODO-2-PROPYNYL BUTYLCARBAMATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
259-627-5	55406-53-6	Xn: R22; T: R23; Xi: R41; Sens.: R43; T: R48/23; N: R50	Acute Tox. 3: H331; Acute Tox. 4: H302; STOT RE 1: H372; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	1-10%

MYSTOX R

Page: 3

262-104-4	60207-90-1	Xn: R22; Sens.: R43; N: R50/53	Acute Tox. 4: H302; Skin Sens. 1:	1-10%
			H317; Aquatic Chronic 1: H410;	
			Aquatic Acute 1: H400	

Section 4: First aid measures		
4.1. Description of first aid m	easures	
Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash		
	immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a	
	doctor.	
4.2. Most important symptom	is and effects, both acute and delayed	
Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact: There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be soreness and redness of the mouth and throat.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may	
	cause coughing or wheezing.	
Delayed / immediate effects: Immediate effects can be expected after short-term exposure.		
4.3. Indication of any immediate medical attention and special treatment needed		
Immediate / special treatment:	Eye bathing equipment should be available on the premises.	
Section 5: Fire-fighting meas	sures	
5.1. Extinguishing media		
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray	
	to cool containers.	
5.2. Special hazards arising f	rom the substance or mixture	
	In combustion emits toxic fumes.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
	with skin and eyes.	
Section 6: Accidental release	emeasures	
6.1. Personal precautions, pr	otective equipment and emergency procedures	
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from	
•	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

MYSTOX R

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. The floor of the storage room must be	
	impermeable to prevent the escape of liquids.	
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses. Ensure eye bath is to hand.	
Skin protection:	Protective clothing.	

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- State: Emulsion
- Colour: Off-white

Odour: Odourless

Evaporation rate: No data available.

MYSTOX R

			Page: 5	
Oxidising:	No data available.			
Solubility in water:	No data available.			
Viscosity:	No data available.			
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.	
Flammability limits %: lower:	Not applicable.	upper:	er: No data available.	
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	Not applicable.	Vapour pressure:	No data available.	
Relative density:	No data available.	pH:	No data available.	
VOC g/l:	No data available.			

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant effects for mixture:

Effect	Route	Basis
Sensitisation	DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

MYSTOX R

Page: 6

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(3-IODO-2-PROPYNYL BUTYLCARBAMATE; PROPICONAZOLE)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: |||

MYSTOX R

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H331: Toxic if inhaled.
	H372: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	R22: Harmful if swallowed.
	R23: Toxic by inhalation.
	R41: Risk of serious damage to eyes.
	R43: May cause sensitisation by skin contact.
	R48/20: Harmful: danger of serious damage to health by prolonged exposure through
	inhalation.
	R48/23: Toxic: danger of serious damage to health by prolonged exposure through

MYSTOX R

inhalation.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R50: Very toxic to aquatic organisms.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.